



No Lesen : PC000694

Licence No :

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

**EMIRATES STEEL INDUSTRIES PJSC (EMIRATES STEEL)
INDUSTRIAL CITY OF ABU DHABI (ICAD-1),
P. O. BOX 9022
MUSSAFAH
ABU DHABI, UNITED ARAB EMIRATES**



PC 05102004 CB 01

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

MS EN 10025-2 : 2011

Mohd Azanuddin bin Salleh
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 60-3-55446400
Faks : 60-3-55446466

<http://www.sirim.my>

<http://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 25 July 2013

Certified Since

Sah Sehingga : 25 July 2020

Valid Until

Tarikh Dikeluarkan : 24 July 2019

Issue Date

No Siri : 048013

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

EMIRATES STEEL INDUSTRIES PJSC (EMIRATES STEEL)



Trade Mark :	MANUFACTURER'S ID = EMIRATES STEEL
Model :	STEEL NAME: STRUCTURAL STEEL = S235, S275, S355
Rating :	QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR, +M
Type :	UNIVERSAL BEAMS (UB)
Size :	DESIGNATION (mm x mm x kg/m) = 1016 x 305 x 591, 1016 x 305 x 539, 1016 x 305 x 494, 1016 x 305 x 487, 1016 x 305 x 483, 1016 x 305 x 443, 1016 x 305 x 438, 1016 x 305 x 437, 1016 x 305 x 415, 1016 x 305 x 412, 1016 x 305 x 393, 1016 x 305 x 371, 1016 x 305 x 349, 1016 x 305 x 321, 1016 x 305 x 314, 1016 x 305 x 296, 1016 x 305 x 272, 1016 x 305 x 249, 1016 x 305 x 222, 914 x 419 x 585, 914 x 419 x 534, 914 x 419 x 488, 914 x 419 x 447, 914 x 419 x 418, 914 x 419 x 388, 914 x 419 x 365, 914 x 419 x 343, 914 x 305 x 575, 914 x 305 x 521, 914 x 305 x 474, 914 x 305 x 425, 914 x 305 x 382
Size :	:914 x 305 x 345, 914 x 305 x 313, 914 x 305 x 289, 914 x 305 x 272, 914 x 305 x 253, 914 x 305 x 238, 914 x 305 x 224, 914 x 305 x 201, 838 x 400 x 576, 838 x 400 x 528, 838 x 400 x 473, 838 x 400 x 433, 838 x 400 x 392, 838 x 400 x 359, 838 x 400 x 329, 838 x 400 x 299, 838 x 292 x 327, 838 x 292 x 303, 838 x 292 x 279, 838 x 292 x 251, 838 x 292 x 227, 838 x 292 x 226, 838 x 292 x 211, 838 x 292 x 194, 838 x 292 x 176, 762 x 381 x 485, 762 x 381 x 434, 762 x 381 x 388, 762 x 381 x 349, 762 x 381 x 314, 762 x 381 x 284, 762 x 381 x 258, 762 x 267 x 220
Size :	:762 x 267 x 197, 762 x 267 x 185, 762 x 267 x 173, 762 x 267 x 160, 762 x 267 x 147, 762 x 267 x 134, 686 x 356 x 457, 686 x 356 x 418, 686 x 356 x 384, 686 x 356 x 350, 686 x 356 x 323, 686 x 356 x 288, 686 x 356 x 265, 686 x 356 x 240, 686 x 356 x 218, 686 x 254 x 328, 686 x 254 x 300, 686 x 254 x 271, 686 x 254 x 236, 686 x 254 x 191, 686 x 254 x 170, 686 x 254 x 152, 686 x 254 x 140, 686 x 254 x 125, 610 x 324 x 341, 610 x 324 x 308, 610 x 324 x 286, 610 x 324 x 262, 610 x 324 x 239, 610 x 324 x 219, 610 x 324 x 196, 610 x 324 x 175, 610 x 324 x 156
Size :	:610 x 305 x 238, 610 x 305 x 179, 610 x 305 x 149, 610 x 229 x 295, 610 x 229 x 243, 610 x 229 x 218, 610 x 229 x 190, 610 x 229 x 172, 610 x 229 x 154, 610 x 229 x 140, 610 x 229 x 125, 610 x 229 x 113, 610 x 229 x 101, 610 x 178 x 92, 610 x 178 x 82, 533 x 312 x 331, 533 x 312 x 300, 533 x 312 x 271, 533 x 312 x 247, 533 x 312 x 219, 533 x 312 x 197, 533 x 312 x 182, 533 x 312 x 165, 533 x 312 x 151, 533 x 210 x 138, 533 x 210 x 122, 533 x 210 x 109, 533 x 210 x 101, 533 x 210 x 92, 533 x 210 x 82, 533 x 165 x 85, 533 x 165 x 75, 533 x 165 x 66, 457 x 280 x 349, 457 x 280 x 315

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 60-3-55446400
Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 25 July 2013

Certified Since

Sah Sehingga : 25 July 2020

Valid Until

Tarikh Dikeluarkan : 24 July 2019

Issue Date

No Siri : 048013

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.

This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

EMIRATES STEEL INDUSTRIES PJSC (EMIRATES STEEL)



Size : 457 x 280 x 286, 457 x 280 x 261, 457 x 280 x 236, 457 x 280 x 213, 457 x 280 x 194, 457 x 280 x 177, 457 x 280 x 158, 457 x 280 x 144, 457 x 280 x 128, 457 x 280 x 113, 457 x 191 x 106, 457 x 191 x 98, 457 x 191 x 89, 457 x 191 x 82, 457 x 191 x 74, 457 x 191 x 67, 457 x 152 x 82, 457 x 152 x 74, 457 x 152 x 67, 457 x 152 x 60, 457 x 152 x 52, 406 x 178 x 85, 406 x 178 x 74, 406 x 178 x 67, 406 x 178 x 60, 406 x 178 x 54, 406 x 140 x 46, 406 x 140 x 39, 356 x 254 x 122, 356 x 254 x 110, 356 x 254 x 101, 356 x 254 x 91, 356 x 203 x 75, 356 x 203 x 67, 356 x 203 x 60

Size : 356 x 171 x 67, 356 x 171 x 57, 356 x 171 x 51, 356 x 171 x 45, 356 x 127 x 39, 356 x 127 x 33, 305 x 254 x 87, 305 x 254 x 79, 305 x 203 x 75, 305 x 203 x 67, 305 x 203 x 60, 305 x 165 x 54, 305 x 165 x 52, 305 x 165 x 46, 305 x 165 x 45, 305 x 165 x 40, 305 x 165 x 39, 305 x 127 x 48, 305 x 127 x 42, 305 x 127 x 37, 254 x 203 x 67, 254 x 203 x 58, 254 x 203 x 49, 254 x 146 x 45, 254 x 146 x 43, 254 x 146 x 39, 254 x 146 x 37, 254 x 146 x 33, 254 x 146 x 31, 254 x 146 x 24



Trade Mark : MANUFACTURER'S ID = EMIRATES STEEL
 Model : STEEL NAME: STRUCTURAL STEEL = S235, S275, S355
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR, +M
 Type : EUROPEAN BEAMS (IPE)
 Size : DESIGNATION (mm) = IPE 200, IPE 200 A, IPE 200 O, IPE 200 R, IPE 220, IPE 220 A, IPE 220 O, IPE 220 R, IPE240, IPE 240 A, IPE 240 O, IPE 240 R, IPE270, IPE270 A, IPE270 O, IPE270 R, IPE300, IPE300 A, IPE300O, IPE300 R, IPE 330, IPE 330 A, IPE 330 O, IPE 330 R, IPE360, IPE360 A, IPE360 O, IPE360 R, IPE400, IPE400A, IPE400 O, IPE400 R, IPE400 V, IPE450, IPE450 A, IPE450 O, IPE450 R, IPE450 V

Size : IPE500, IPE500 A, IPE500 O, IPE500 R, IPE550, IPE550 A, IPE550 O, IPE550 R, IPE550 V, IPE600, IPE600 A, IPE600O, IPE600 R, IPE600 V, IPE750 x 137, IPE750 x 147, IPE750 x 161, IPE750 x 173, IPE750 x 185, IPE750 x 196, IPE750 x 210, IPE750 x 222, IPE500 V.

Trade Mark : MANUFACTURER'S ID = EMIRATES STEEL
 Model : STEEL NAME: STRUCTURAL STEEL = S235, S275, S355
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR, +M
 Type : EUROPEAN BEAMS (HE)
 Size : DESIGNATION (mm) = HE200 AA, HE200 A, HE200 B, HE200 M, HE220 AA, HE220 A, HE220 B, HE220 M, HE240 AA, HE240 A, HE240 B, HE240 M, HE260 AA, HE260 A, HE260 B, HE260 M, HE280 AA, HE280 A, HE280 B, HE280 M, HE300 AA, HE300 A, HE300 B, HE300 M, HE320 AA, HE320 A, HE320 B, HE320 M, HE340 AA, HE340 A, HE340 B, HE340 M, HE360 AA, HE360 A, HE360 B, HE360 M

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 410334-X)
 1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 60-3-55446400
 Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 25 July 2013

Certified Since

Sah Sehingga : 25 July 2020

Valid Until

Tarikh Dikeluarkan : 24 July 2019

Issue Date

No Siri : 048013

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.

This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

EMIRATES STEEL INDUSTRIES PJSC (EMIRATES STEEL)



Size : HE400 AA, HE400 A, HE400 B, HE400 M, HE400 x 107, HE450 AA, HE450 A, HE450 B, HE450 M, HE450 x 123, HE500 AA, HE500 A, HE500 B, HE500 M, HE550 AA, HE550 A, HE550 B, HE550 M, HE600 AA, HE600 A, HE600 B, HE600 M, HE 600 x 137, HE 600 x 151, HE 600 x 174, HE650 AA, HE650 A, HE650 B, HE650 M, HE700 AA, HE700 A, HE700 B, HE700 M, HE700 x 166, HE800 AA, HE800 A, HE800 B, HE800 M, HE900 AA, HE900 A, HE900 B, HE900 M, HE1000 AA, HE1000 A, HE1000 B, HE1000 M, HE1000 x 393, HE1000 x 415, HE1000 x 494

Trade Mark : MANUFACTURER'S ID = EMIRATES STEEL

Model : STEEL NAME: STRUCTURAL STEEL = S235, S275, S355

Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR, +M

Type : UNIVERSAL COLUMNS (UC)

Size : DESIGNATION (mm x mm x kg/m) = 356 x 406 x 634, 356 x 406 x 551, 356 x 406 x 467, 356 x 406 x 393, 356 x 406 x 347, 356 x 406 x 340, 356 x 406 x 313, 356 x 406 x 287, 356 x 406 x 263, 356 x 406 x 235, 356 x 406 x 216, 356 x 368 x 202, 356 x 368 x 197, 356 x 368 x 179, 356 x 368 x 177, 356 x 368 x 162, 356 x 368 x 153, 356 x 368 x 148, 356 x 368 x 134, 356 x 368 x 129, 305 x 305 x 343, 305 x 305 x 313, 305 x 305 x 283, 305 x 305 x 253, 305 x 305 x 240, 305 x 305 x 227, 305 x 305 x 203, 305 x 305 x 198, 305 x 305 x 179

Size : 305 x 305 x 158, 305 x 305 x 143, 305 x 305 x 137, 305 x 305 x 130, 305 x 305 x 118, 305 x 305 x 107, 305 x 305 x 97, 254 x 254 x 167, 254 x 254 x 149, 254 x 254 x 132, 254 x 254 x 115, 254 x 254 x 107, 254 x 254 x 101, 254 x 254 x 89, 254 x 254 x 73, 254 x 254 x 89, 254 x 254 x 80, 254 x 254 x 73, 203 x 203 x 100, 203 x 203 x 86, 203 x 203 x 71, 203 x 203 x 60, 203 x 203 x 52, 203 x 203 x 46, 356 x 406 x 592, 356 x 406 x 509.

Trade Mark : MANUFACTURER'S ID = EMIRATES STEEL

Model : STEEL NAME: STRUCTURAL STEEL = S235, S275, S355

Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR, +M

Type : PARALLEL FLANGE CHANNELS (PFC)

Size : DESIGNATION (mm x mm x kg/m) = 430 x 100 x 64, 380 x 100 x 54, 300 x 100 x 46, 300 x 90 x 41, 260 x 90 x 35, 260 x 75 x 28, 230 x 90 x 32, 230 x 75 x 26, 200 x 90 x 30, 200 x 75 x 23

SCHEDULE

EMIRATES STEEL INDUSTRIES PJSC (EMIRATES STEEL)



Trade Mark : MANUFACTURER'S ID = EMIRATES STEEL
 Model : STEEL NAME: STRUCTURAL STEEL = S235, S275, S355
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR, +M
 Type : AMERICAN W-SECTIONS
 Size : DESIGNATION (inch x inch x lb/ft) = W 40 X 16 X 397 (W 40 X 397), W 40 X 16 X 372 (W 40 X 372), W 40 X 16 X 362 (W 40 X 362), W 40 X 16 X 324 (W 40 X 324), W 40 X 16 X 297 (W 40 X 297), W 40 X 16 X 277 (W 40 X 277), W 40 X 16 X 249 (W 40 X 249), W 40 X 16 X 215 (W 40 X 215), W 40 X 16 X 199 (W 40 X 199), W 40 X 12 X 397 (W 40 X 397), W 40 X 12 X 392 (W 40 X 392), W 40 X 12 X 362 (W 40 X 362), W 40 X 12 X 331 (W 40 X 331), W 40 X 12 X 327 (W 40 X 327), W 40 X 12 X 324 (W 40 X 324), W 40 X 12 X 297 (W 40 X 297),



Size : W 40 X 12 X 294 (W 40 X 294), W 40 X 12 X 278 (W 40 X 278), W 40 X 12 X 277 (W 40 X 277), W 40 X 12 X 264 (W 40 X 264), W 40 X 12 X 249 (W 40 X 249), W 40 X 12 X 235 (W 40 X 235), W 40 X 12 X 215 (W 40 X 215), W 40 X 12 X 211 (W 40 X 211), W 40 X 12 X 199 (W 40 X 199), W 40 X 12 X 183 (W 40 X 183), W 40 X 12 X 167 (W 40 X 167), W 40 X 12 X 149 (W 40 X 149), W 36 X 161/2 X 395 (W 36 X 395), W 36 X 161/2 X 393 (W 36 X 393), W 36 X 161/2 X 361 (W 36 X 361),

Size : W 36 X 161/2 X 359 (W 36 X 359), W 36 X 161/2 X 330 (W 36 X 330), W 36 X 161/2 X 328 (W 36 X 328), W 36 X 161/2 X 302 (W 36 X 302), W 36 X 161/2 X 300 (W 36 X 300), W 36 X 161/2 X 282 (W 36 X 282), W 36 X 161/2 X 280 (W 36 X 280), W 36 X 161/2 X 262 (W 36 X 262), W 36 X 161/2 X 260 (W 36 X 260), W 36 X 161/2 X 247 (W 36 X 247), W 36 X 161/2 X 245 (W 36 X 245), W 36 X 161/2 X 231 (W 36 X 231), W 36 X 161/2 X 230 (W 36 X 230), W 36 X 12 X 386 (W 36 X 386),

Size : W 36 X 12 X 349 (W 36 X 349), W 36 X 12 X 318 (W 36 X 318), W 36 X 12 X 285 (W 36 X 285), W 36 X 12 X 256 (W 36 X 256), W 36 X 12 X 232 (W 36 X 232), W 36 X 12 X 210 (W 36 X 210), W 36 X 12 X 194 (W 36 X 194), W 36 X 12 X 182 (W 36 X 182), W 36 X 12 X 170 (W 36 X 170), W 36 X 12 X 160 (W 36 X 160), W 36 X 12 X 150 (W 36 X 150), W 36 X 12 X 135 (W 36 X 135), W 33 X 153/4 X 387 (W 33 X 387), W 33 X 153/4 X 354 (W 33 X 354), W 33 X 153/4 X 318 (W 33 X 318),

Size : W 33 X 153/4 X 291 (W 33 X 291), W 33 X 153/4 X 263 (W 33 X 263), W 33 X 153/4 X 241 (W 33 X 241), W 33 X 153/4 X 221 (W 33 X 221), W 33 X 153/4 X 201 (W 33 X 201), W 33 X 111/2 X 219 (W 33 X 219), W 33 X 111/2 X 204 (W 33 X 204), W 33 X 111/2 X 187 (W 33 X 187), W 33 X 111/2 X 169 (W 33 X 169), W 33 X 111/2 X 152 (W 33 X 152), W 33 X 111/2 X 141 (W 33 X 141), W 33 X 111/2 X 130 (W 33 X 130), W 33 X 111/2 X 118 (W 33 X 118), W 30 X 15 X 326 (W 30 X 326), W 30 X 15 X 292 (W 30 X 292),

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 410334-X)
 1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 60-3-55446400
 Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 25 July 2013

Certified Since

Sah Sehingga : 25 July 2020

Valid Until

Tarikh Dikeluarkan : 24 July 2019

Issue Date

No Siri : 048013

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

EMIRATES STEEL INDUSTRIES PJSC (EMIRATES STEEL)



Size :W 30 X 15 X 261 (W 30 X 261), W 30 X 15 X 235 (W 30 X 235), W 30 X 15 X 211 (W 30 X 211), W 30 X 15 X 191 (W 30 X 191), W 30 X 15 X 173 (W 30 X 173), W 30 X 10 1/2 X 148 (W 30 X 148), W 30 X 10 1/2 X 132 (W 30 X 132), W 30 X 10 1/2 X 124 (W 30 X 124), W 30 X 10 1/2 X 116 (W 30 X 116), W 30 X 10 1/2 X 108 (W 30 X 108), W 30 X 10 1/2 X 99 (W 30 X 99), W 30 X 10 1/2 X 90 (W 30 X 90), W 27 X 14 X 307 (W 27 X 307), W 27 X 14 X 281 (W 27 X 281), W 27 X 14 X 258 (W 27 X 258),

Size :W 27 X 14 X 235 (W 27 X 235), W 27 X 14 X 217 (W 27 X 217), W 27 X 14 X 194 (W 27 X 194), W 27 X 14 X 178 (W 27 X 178), W 27 X 14 X 161 (W 27 X 161), W 27 X 14 X 146 (W 27 X 146), W 27 X 10 X 221 (W 27 X 221), W 27 X 10 X 201 (W 27 X 201), W 27 X 10 X 182 (W 27 X 182), W 27 X 10 X 159 (W 27 X 159), W 27 X 10 X 129 (W 27 X 129), W 27 X 10 X 114 (W 27 X 114), W 27 X 10 X 102 (W 27 X 102), W 27 X 10 X 94 (W 27 X 94), W 27 X 10 X 84 (W 27 X 84), W 24 X 12 3/4 X 229 (W 24 X 229),



Size :W 24 X 12 3/4 X 207 (W 24 X 207), W 24 X 12 3/4 X 192 (W 24 X 192), W 24 X 12 3/4 X 176 (W 24 X 176), W 24 X 12 3/4 X 162 (W 24 X 162), W 24 X 12 3/4 X 146 (W 24 X 146), W 24 X 12 3/4 X 131 (W 24 X 131), W 24 X 12 3/4 X 117 (W 24 X 117), W 24 X 12 3/4 X 104 (W 24 X 104), W 24 X 9 X 198 (W 24 X 198), W 24 X 9 X 163 (W 24 X 163), W 24 X 9 X 146 (W 24 X 146), W 24 X 9 X 128 (W 24 X 128), W 24 X 9 X 114 (W 24 X 114), W 24 X 9 X 103 (W 24 X 103), W 24 X 9 X 94 (W 24 X 94), W 24 X 9 X 84 (W 24 X 84),

Size :W 24 X 9 X 76 (W 24 X 76), W 24 X 9 X 68 (W 24 X 68), W 24 X 7 X 62 (W 24 X 62), W 24 X 7 X 55 (W 24 X 55), W 21 X 12 1/4 X 223 (W 21 X 223), W 21 X 12 1/4 X 201 (W 21 X 201), W 21 X 12 1/4 X 182 (W 21 X 182), W 21 X 12 1/4 X 166 (W 21 X 166), W 21 X 12 1/4 X 147 (W 21 X 147), W 21 X 12 1/4 X 132 (W 21 X 132), W 21 X 12 1/4 X 122 (W 21 X 122), W 21 X 12 1/4 X 111 (W 21 X 111), W 21 X 12 1/4 X 101 (W 21 X 101), W 21 X 8 1/4 X 93 (W 21 X 93), W 21 X 8 1/4 X 83 (W 21 X 83),

Size :W 21 X 8 1/4 X 73 (W 21 X 73), W 21 X 8 1/4 X 68 (W 21 X 68), W 21 X 8 1/4 X 62 (W 21 X 62), W 21 X 8 1/4 X 55 (W 21 X 55), W 21 X 8 1/4 X 48 (W 21 X 48), W 21 X 6 1/2 X 57 (W 21 X 57), W 21 X 6 1/2 X 50 (W 21 X 50), W 21 X 6 1/2 X 44 (W 21 X 44), W 18 X 11 X 234 (W 18 X 234), W 18 X 11 X 211 (W 18 X 211), W 18 X 11 X 192 (W 18 X 192), W 18 X 11 X 175 (W 18 X 175), W 18 X 11 X 158 (W 18 X 158), W 18 X 11 X 143 (W 18 X 143), W 18 X 11 X 130 (W 18 X 130), W 18 X 11 X 119 (W 18 X 119),

SCHEDULE

EMIRATES STEEL INDUSTRIES PJSC (EMIRATES STEEL)



Size :W 18 X 11 X 106 (W 18 X 106), W 18 X 11 X 97 (W 18 X 97), W 18 X 11 X 86 (W 18 X 86), W 18 X 11 X 76 (W 18 X 76), W 18 X 71/2 X 71 (W 18 X 71), W 18 X 71/2 X 65 (W 18 X 65), W 18 X 71/2 X 60 (W 18 X 60), W 18 X 71/2 X 55 (W 18 X 55), W 18 X 71/2 X 50 (W 18 X 50), W 18 X 6 X 46 (W 18 X 46), W 18 X 6 X 40 (W 18 X 40), W 18 X 6 X 35 (W 18 X 35), W 16 X 10 1/4 X 100 (W 16 X 100), W 16 X 10 1/4 X 89 (W 16 X 89), W 16 X 10 1/4 X 77 (W 16 X 77), W 16 X 10 1/4 X 67 (W 16 X 67),

Size :W 16 X 7 X 57 (W 16 X 57), W 16 X 7 X 50 (W 16 X 50), W 16 X 7 X 45 (W 16 X 45), W 16 X 7 X 40 (W 16 X 40), W 16 X 7 X 36 (W 16 X 36), W 16 X 51/2 X 31 (W 16 X 31), W 16 X 51/2 X 26 (W 16 X 26), W 14 X 16 X 426 (W 14 X 426), W 14 X 16 X 398 (W 14 X 398), W 14 X 16 X 370 (W 14 X 370), W 14 X 16 X 342 (W 14 X 342), W 14 X 16 X 311 (W 14 X 311), W 14 X 16 X 283 (W 14 X 283), W 14 X 16 X 257 (W 14 X 257), W 14 X 16 X 233 (W 14 X 233), W 14 X 16 X 211 (W 14 X 211),



Size :W 14 X 16 X 193 (W 14 X 193), W 14 X 16 X 176 (W 14 X 176), W 14 X 16 X 159 (W 14 X 159), W 14 X 16 X 145 (W 14 X 145), W 14 X 141/2 X 132 (W 14 X 132), W 14 X 141/2 X 120 (W 14 X 120), W 14 X 141/2 X 109 (W 14 X 109), W 14 X 141/2 X 99 (W 14 X 99), W 14 X 141/2 X 90 (W 14 X 90), W 14 X 10 X 82 (W 14 X 82), W 14 X 10 X 74 (W 14 X 74), W 14 X 10 X 68 (W 14 X 68), W 14 X 10 X 61 (W 14 X 61), W 14 X 8 X 53 (W 14 X 53), W 14 X 8 X 50 (W 14 X 50), W 14 X 8 X 48 (W 14 X 48),

Size :W 14 X 8 X 45 (W 14 X 45), W 14 X 8 X 43 (W 14 X 43), W 14 X 8 X 40 (W 14 X 40), W 14 X 63/4 X 38 (W 14 X 38), W 14 X 63/4 X 34 (W 14 X 34), W 14 X 63/4 X 30 (W 14 X 30), W 14 X 5 X 26 (W 14 X 26), W 14 X 5 X 22 (W 14 X 22), W 12 X 12 X 230 (W 12 X 230), W 12 X 12 X 210 (W 12 X 210), W 12 X 12 X 190 (W 12 X 190), W 12 X 12 X 170 (W 12 X 170), W 12 X 12 X 152 (W 12 X 152), W 12 X 12 X 136 (W 12 X 136), W 12 X 12 X 120 (W 12 X 120), W 12 X 12 X 106 (W 12 X 106), W 12 X 12 X 96 (W 12 X 96),

Size :W 12 X 12 X 87 (W 12 X 87), W 12 X 12 X 79 (W 12 X 79), W 12 X 12 X 72 (W 12 X 72), W 12 X 12 X 65 (W 12 X 65), W 12 X 10 X 58 (W 12 X 58), W 12 X 10 X 53 (W 12 X 53), W 12 X 8 X 50 (W 12 X 50), W 12 X 8 X 45 (W 12 X 45), W 12 X 8 X 40 (W 12 X 40), W 12 X 61/2 X 35 (W 12 X 35), W 12 X 61/2 X 30 (W 12 X 30), W 12 X 61/2 X 26 (W 12 X 26), W 10 X 10 X 112 (W 10 X 112), W 10 X 10 X 100 (W 10 X 100), W 10 X 10 X 88 (W 10 X 88), W 10 X 10 X 77 (W 10 X 77), W 10 X 10 X 68 (W 10 X 68),

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 60-3-55446400
Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 25 July 2013

Certified Since

Sah Sehingga : 25 July 2020

Valid Until

Tarikh Dikeluarkan : 24 July 2019

Issue Date

No Siri : 048013

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.

This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

EMIRATES STEEL INDUSTRIES PJSC (EMIRATES STEEL)



Size : W 10 X 10 X 60 (W 10 X 60), W 10 X 10 X 54 (W 10 X 54), W 10 X 10 X 49 (W 10 X 49), W 10 X 8 X 45 (W 10 X 45), W 10 X 8 X 39 (W 10 X 39), W 10 X 8 X 33 (W 10 X 33), W 10 X 53/4 X 30 (W 10 X 30), W 10 X 53/4 X 26 (W 10 X 26), W 10 X 53/4 X 22 (W 10 X 22), W 10 X 53/4 X 16 (W 10 X 16), W 8 X 8 X 67 (W 8 X 67), W 8 X 8 X 58 (W 8 X 58), W 8 X 8 X 48 (W 8 X 48), W 8 X 8 X 40 (W 8 X 40), W 8 X 8 X 35 (W 8 X 35), W 8 X 8 X 31 (W 8 X 31).

Trade Mark : MANUFACTURER'S ID = EMIRATES STEEL
 Model : STEEL NAME: STRUCTURAL STEEL = S235, S275, S355
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR, +M
 Type : UNIVERSAL BEAMS (UB)
 Size : DESIGNATION (mm x mm x kg/m) = 1016 x 305 x 584, 1016 x 305 x 350, 914 x 305 x 576, 914 x 305 x 381, 914 x 305 x 301, 914 x 305 x 271,



PC 05102004 CB 01

Trade Mark : MANUFACTURER'S ID = EMIRATES STEEL
 Model : STEEL NAME: STRUCTURAL STEEL = S235, S275, S355
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR, +M
 Type : AMERICAN W-SECTIONS
 Size : DESIGNATION (inch x inch x lb/ft) = W 40 X 16 X 431 (W 40 X 431), W 36 X 12 X 387 (W 36 X 387), W 36 X 12 X 350 (W 36 X 350), W 30 X 15 X 391 (W 30 X 391), W 30 X 15 X 357 (W 30 X 357), W 24 X 12 3/4 X 370 (W 24 X 370), W 24 X 12 3/4 X 335 (W 24 X 335), W 24 X 12 3/4 X 306 (W 24 X 306), W 24 X 12 3/4 X 279 (W 24 X 279), W 24 X 12 3/4 X 250 (W 24 X 250)

Trade Mark : MANUFACTURER'S ID = EMIRATES STEEL
 Model : STEEL NAME: STRUCTURAL STEEL = S235, S275, S355
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR, +M
 Type : EUROPEAN BEAMS (HE)
 Size : DESIGNATION (mm) = HE200 C, HE220 C, HE240 C, HE260 C, HE280 C, HE300 C, HE320 C, HE600 x 337, HE600 x 399, HE650 x 343, HE650 x 407, HE700 x 352, HE700 x 418, HE800 x 373, HE800 x 444, HE900 x 391, HE900 x 466, HE1000 x 249, HE1000 x 584

Trade Mark : MANUFACTURER'S ID = EMIRATES STEEL
 Model : STEEL NAME: STRUCTURAL STEEL = S235, S275, S355
 Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR, +M
 Type : EUROPEAN BEAMS (HP)
 Size : DESIGNATION (mm) = HP18 x 204, HP18 x 181, HP18 x 157, HP18 x 135, HP16 x 183, HP16 x 162, HP16 x 141, HP16 x 121, HP16 x 101, HP16 x 88, HP14 x 117, HP14 x 102, HP14 x 89, HP14 x 73, HP12 x 117, HP12 x 102, HP12 x 89, HP12 x 84, HP12 x 74, HP12 x 63, HP12 x 53, HP10 x 57, HP10 x 42, HP8 x 36.

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 410334-X)
 1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 60-3-55446400
 Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 25 July 2013

Certified Since

Sah Sehingga : 25 July 2020

Valid Until

Tarikh Dikeluarkan : 24 July 2019

Issue Date

No Siri : 048013

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.

This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

EMIRATES STEEL INDUSTRIES PJSC (EMIRATES STEEL)



Trade Mark : MANUFACTURER'S ID = EMIRATES STEEL
Model : STEEL NAME: STRUCTURAL STEEL = S235, S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR, +M
Type : EUROPEAN BEAMS (HD)
Size : DESIGNATION (mm) = HD260 x 54.1, HD260 x 68.2, HD260 x 93, HD260 x 114, HD260 x 142, HD260 x 172, HD260 x 225, HD260 x 299, HD320 x 74.2, HD320 x 97.6, HD320 x 127, HD320 x 158, HD320 x 198, HD320 x 245, HD320 x 300, HD360 x 134, HD360 x 147, HD360 x 162, HD360 x 179, HD360 x 196, HD400 x 187, HD400 x 216, HD400 x 237, HD400 x 262, HD400 x 287, HD400 x 314, HD400 x 347, HD400 x 421, HD400 x 463, HD400 x 509, HD400 x 551, HD400 x 592, HD400 x 634.



PC 05102004 CB 01

End of page

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 60-3-55446400
Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 25 July 2013

Certified Since

Sah Sehingga : 25 July 2020

Valid Until

Tarikh Dikeluarkan : 24 July 2019

Issue Date

No Siri : 048013

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.